



STAPPERT

## QUALITY EX STOCK

Summary of  
available products



Bars

Angles

Special sections

Plates and sheets

Pipes and tubes

Fittings

Hollow bars

INOX INTELLIGENCE.

# STAPPERT – THE BRAND FOR STAINLESS STEEL

STAPPERT is one of the leading distributors of long products and fittings made of stainless, highly corrosion and heat resistant steel.

We have the stainless steel that fits your requirements perfectly and supply it in a range of standard and tailor-made solutions that is unique in stainless steel business.

Furthermore you can expect first-class service from us in every respect - tailored to provide you the greatest possible benefit from start to finish.

In addition to the enormous variety of products and reliable delivery – for which the name STAPPERT stands for – you can also rely on our ongoing commitment to progress, development and the further optimization of our services. This is what we mean by INOX INTELLIGENCE.











We – the STAPPERT team – see ourselves as competent contact persons for the interests of different branches of industry. From mechanical engineering to energy and environmental technology to the food industry, we are at home in all sectors and have built up our reputation as a competent partner over decades.

STAPPERT's emphasis is not only on a wide range of stainless, highly corrosion and heat resistant steels, but also on good accessibility and location-independent support.

We are always on hand, wherever you are.












Your reliable global partner with comprehensive coverage of your needs and short delivery times.

## BARS | HOT-FORMED





grade	AISI/ UNS	DIN EN 10060 	DIN EN 10059 	DIN EN 10058 	slit 	equal 	equal polished 	unequal 	T 	I 	U 
	XM 19 * Nitronic 50 ©	30 - 200	-	-	-	-	-	-	-	-	-
1.4006	410	30 - 400	-	-	-	-	-	-	-	-	-
1.4021	420	18 - 550	-	-	-	-	-	-	-	-	-
1.4028	420 F	30 - 200	-	-	-	-	-	-	-	-	-
1.4034	420	30 - 325	-	-	-	-	-	-	-	-	-
1.4057	431	20 - 500	40 - 100	30 × 20 - 100 × 30	-	-	-	-	-	-	-
1.4104	430 F	34 - 400	80	-	-	-	-	-	-	-	-
1.4112	440 B	25 - 400	-	-	-	-	-	-	-	-	-
1.4122		22 - 525	-	-	-	-	-	-	-	-	-
1.4125	440 C	20 - 225	-	-	-	-	-	-	-	-	-
1.4301 1.4307	304 304L	20 - 575	10 - 200	10 × 5 - 200 × 40	10 × 3 - 300 × 12	15 × 15 × 2 - 180 × 180 × 20	20 × 20 × 3 - 60 × 60 × 6	20 × 10 × 3 - 200 × 100 × 12	T 20 - 120 TB 30 - 60	IPE 80 - 240 IPB 100 - 200	U 20 - 200
1.4301 Ugima	304 Ugima	40 - 120	-	-	-	-	-	-	-	-	-
1.4305	303	30 - 500	40 - 150	-	-	-	-	-	-	-	-
1.4305 UGIMA	303 UGIMA	40 - 75	-	-	-	-	-	-	-	-	-
1.4306	304 L	35 - 200	-	-	-	-	-	-	-	-	-
1.4313	CA6-NM	20 - 500	-	-	-	-	-	-	-	-	-
1.4401 1.4404	316 316L	20 - 625	10 - 150	20 × 5 - 200 × 40	10 × 3 - 200 × 10	20 × 20 × 3 - 100 × 100 × 10	-	-	-	-	-
1.4404 Ugima	316 L Ugima	30 - 120	-	-	-	-	-	-	-	-	-
1.4410	S 32750	16 - 425	-	-	-	-	-	-	-	-	-
1.4418		25 - 350	-	-	-	-	-	-	-	-	-
1.4435	316 L	30 - 400	30 - 80	-	-	-	-	-	-	-	-
1.4439	317 LMN	20 - 210	-	-	-	-	-	-	-	-	-
1.4460	S 32900	31 - 255	-	-	-	-	-	-	-	-	-
1.4462	S 31803	20 - 500	20 - 60	30 × 5 - 100 × 20	-	-	-	-	-	-	-
1.4501	S 32760	25 - 500	-	-	-	-	-	-	-	-	-
1.4529	N 08926	16 - 200	-	-	-	-	-	-	-	-	-
1.4539	904 L	22 - 400	15 - 50	-	-	-	-	-	-	-	-
1.4541	321	20 - 525	25 - 150	20 × 5 - 150 × 20	20 × 3 - 100 × 12	20 × 20 × 3 - 100 × 100 × 10	-	-	-	-	-
1.4542	630	30 - 400	-	-	-	-	-	-	-	-	-
1.4547	S31254	20 - 225	-	-	-	-	-	-	-	-	-
1.4550	347	30 - 200	-	-	-	-	-	-	-	-	-
1.4571	316 Ti	20 - 625	15 - 200	12 × 6 - 150 × 50	10 × 3 - 250 × 15	20 × 20 × 3 - 150 × 150 × 15	-	30 × 20 × 3 - 200 × 100 × 13	T 40 - 120	IPE 80 - 160 IPB 100 - 180	U 40 - 200
1.4571 Ugima	316 Ti Ugima	45 - 125	-	-	-	-	-	-	-	-	-
1.4713		25 - 100	-	40 × 10	-	-	-	-	-	-	-
1.4762	446	16 - 120	-	-	-	-	-	-	-	-	-
1.4828	309	22 - 350	-	20 × 8 - 100 × 20	-	-	-	-	-	-	-
1.4835	S30815	30 - 200	-	-	-	-	-	-	-	-	-
1.4841	314	20 - 300	10 - 80	15 × 5 - 120 × 10	-	-	-	-	-	-	-
1.4845	310 S	30 - 400	-	-	-	-	-	-	-	-	-
1.4876	800 H	25 - 40	-	-	-	-	-	-	-	-	-
1.4878	321 H	20 - 525	25 - 150	20 × 5 - 150 × 20	-	-	-	-	-	-	-
1.4923		25 - 220	-	-	-	-	-	-	-	-	-
	304 H *	30 - 150	-	-	-	-	-	-	-	-	-

\*new



## BARS | COLD-FORMED

grade	AISI/ UNS	DIN EN 10278 h9	DIN EN 10278 h8	DIN EN 10278 h6	polished	DIN EN 10278	DIN EN 10278	DIN EN 10278		equal	key steel	key steel
												
1.4021	420	4 - 100	-	-	-	-	-	-	-	-	-	-
1.4034	420	5 - 90	-	-	-	-	-	-	-	-	-	-
1.4057	431	5 - 100	-	-	-	-	11 - 41	-	-	-	-	-
1.4104	430 F	3 - 100	-	-	-	6 - 60	5 - 55	-	-	-	-	-
1.4112	440 B	5 - 80	-	-	-	-	-	-	-	-	-	-
1.4122		5 - 100	-	-	-	-	-	-	-	-	-	-
1.4301	304	2 - 100	6 - 60	10 - 50	8 - 20	4 - 100	7 - 75	8 x 4 - 160 x 10	-	10 x 10 x 2 - 60 x 60 x 6	-	-
1.4307	304L											
1.4301	304	8 - 90	-	-	-	-	27 - 41	-	-	-	-	-
Ugima												
1.4305	303	2 - 100	10 - 30	-	8 - 20	5 - 100	5 - 65	20 x 5 - 120 x 20	-	-	-	-
1.4305	303	6 - 90	-	-	-	-	-	-	-	-	-	-
Ugima	Ugima											
1.4401	316	3 - 100	-	-	-	10 - 60	6 - 75	15 x 3 - 100 x 20	10 x 3,5 - 50 x 25	-	-	-
1.4404	316L											
1.4404	316 L	8 - 60	-	-	-	-	-	-	-	-	-	-
Ugima	Ugima											
1.4418		12 - 22	-	-	-	-	-	-	-	-	-	-
1.4435	316 L	6 - 80	-	-	-	-	13 - 41	-	-	-	-	-
1.4435	316 L	4 - 80	-	-	-	-	-	-	-	-	-	-
Ugima	Ugima											
1.4460	S 32900	16 - 80	-	-	-	-	-	-	-	-	-	-
1.4462	S 31803	6 - 80	-	-	-	-	-	-	-	-	-	-
1.4539	904 L	6 - 20	-	-	-	-	19 - 30	-	-	-	-	-
1.4541	321	3 - 100	-	-	-	-	13 - 65	-	-	-	-	-
1.4542	630	8 - 40	-	-	-	-	-	-	-	-	-	-
1.4571	316 Ti	2 - 100	-	-	-	4 - 100	6 - 70	10 x 3 - 120 x 10	-	-	5 x 3 - 40 x 22	3 - 6
1.4571	316 Ti	8 - 60	-	-	-	-	22 - 55	-	-	-	-	-
Ugima	Ugima											
1.4828	309	6 - 20	-	-	-	-	-	-	-	-	-	-
1.4841	314	3 - 20	-	-	-	-	13 - 36	-	-	-	-	-
1.4845	310 S	6 - 20	-	-	-	-	-	-	-	-	-	-
1.4923		10 - 20	-	-	-	-	-	-	-	-	-	-





## PLATES AND SHEETS

grade	AISI/ UNS	small format (1.000 x 2.000 mm)	medium format (1.250 x 2.500 mm)	large format (1.500 x 3.000 mm)	super format (2.000 x 6.000 mm)
					
1.4016	430	0,8 - 2,0 thickness	0,6 - 2,0 thickness	0,8 - 2,0 thickness	-
1.4301	304	0,5 - 40,0 thickness	0,6 - 20,0 thickness	0,8 - 30,0 thickness	6,0 - 8,0 thickness
1.4307	304L				
1.4401	316	0,7 - 20,0 thickness	1,0 - 5,0 thickness	1,0 - 25,0 thickness	-
1.4404	316L				
1.4462	S 31803	1,0 - 6,0 thickness	-	1,0 - 15,0 thickness	-
1.4539	904 L	1,0 - 8,0 thickness	-	1,0 - 8,0 thickness	-
1.4541	321	0,5 - 15,0 thickness	2,0 - 6,0 thickness	2,0 - 8,0 thickness	-
1.4571	316 Ti	1,0 - 5,0 thickness	1,5 - 4,0 thickness	1,0 - 4,0 thickness	-
1.4828	309	0,8 - 12,0 thickness	2,0 - 10,0 thickness	1,0 - 15,0 thickness	-
1.4841	314	1,0 - 12,0 thickness	1,5 - 10,0 thickness	2,0 - 10,0 thickness	-
1.4845	310 S	1,0 - 10,0 thickness	-	2,0 - 10,0 thickness	-







## TUBES AND PIPES | SEAMLESS

grade	AISI/ UNS	seamless	hydraulic tubes EN 10305/1
			
1.4301 1.4307	304 304L	4,0×1,0 - 273,1×12,7	4,0×1,0 - 42,0×3,0
1.4306	304 L	12,0×1,5 - 88,9×3,05	-
1.4401 1.4404	316 316L	6,0×0,5 - 219,1×12,7	6,0×1,0 - 18,0×1,0
1.4410	UNS S32750	21,34×2,77 - 114,3×6,02	-
1.4462	S 31803	13,72×2,24 - 219,1×8,18	-
1.4501	S 32760	21,34×2,77 - 88,9×5,49	-
1.4539	904 L	17,14×2,31 - 219,1×12,7	-
1.4541	321	6,0×1,0 - 219,1×12,7	6,0×1,0 - 35,0×2,5
1.4571	316 Ti	4,0×0,5 - 273,0×12,7	4,0×1,0 - 42,0×3,0
1.4841	314	6,0×1,0 - 168,3×4,5	-
1.4845	310 S	13,72×2,24 - 219,1×12,7	-
1.4878	321 H	6,0×1,0 - 219,1×12,7	-

## TUBES AND PIPES | WELDED


grade	AISI/ UNS	not annealed	annealed	annealed polished	dairy tubes
					
1.4301 1.4307	304 304L	6,0×1,0 - 812,8×4,0	6,0×1,0 - 609,6×9,53	25,0×2,0 - 42,4×2,6	18,0×1,5 - 204,0×2,0
1.4404	316 L	6,0×1,0 - 812,8×4,0	6,0×1,0 - 609,6×9,53	21,3×2,0 - 33,7×2,0	18,0×1,5 - 204×2,0
1.4541	321	15,0×1,5 - 355,6×4,0	12,0×1,0 - 114,3×4,0	-	-
1.4571	316 Ti	10,0×1,0 - 609,60×4,0	6,0×1,0 - 114,3×5,0	-	-

## CONSTRUCTION TUBES

grade	AISI/ UNS	round	round polished	square	square polished	rectangular	rectangular polished
							
1.4301	304	12×1,0 - 139,7×4,0	12,0×1,0 - 114,3×3,0	10×10×1,0 - 200×200×8,0	15×15×1,5 - 120×120×3,0	20×10×1,5 - 200×150×5,0	20×10×1,5 - 150×50×3,0
1.4404	316 L	-	40,0×2,0 - 60,3×3,0	15×15×1,5 - 200×200×5,0	-	30×20×2,0 - 200×100×6,0	-
1.4571	316 Ti	-	-	15×15×1,5 - 100×100×5,0	-	20×10×1,5 - 80×60×4,0	-

Higher quality surface finishes above 240 grit are available on request for many grades of material.

## HOLLOW BARS

grade	AISI/ UNS	seamless
		
1.4301 1.4307	304 304L	32×16 - 400×300
1.4401 1.4404	316 316 L	32×16 - 420×300
1.4462	S 31803	50×25 - 250×200
1.4541	321	36×20 - 250×200
1.4571	316 Ti	32×16 - 250×200
1.4878	321 H	36×20 - 250×200

## FLANGES

grade	1.4301/1.4307	1.4401/1.4404
AISI/UNS	304/304 L	316/316 L
Welding neck flanges according to EN	PN 06: DN 15/21.3 - DN 600/609.6 PN 10: DN 200/204 - DN 800/812.8 PN 16: DN 50/54 - DN 600/609.6 PN 25: DN 200/219.1 - DN 600/609.9 PN 40: DN 10/17.2 - DN 300/323.9	PN 06: DN 15/21.3 - DN 600/609.6 PN 10: DN 200/204 - DN 800/812.8 PN 16: DN 50/54 - DN 600/609.6 PN 25: DN 200/219.1 - DN 600/609.9 PN 40: DN 10/17.2 - DN 300/323.9
Welding neck flanges according to EN with reduced S-size	-	-
Welding neck flanges according to DIN	PN16: DN 15/21.3 - DN 32/42.4	-
Welding neck flanges according to ASTM	150#: 1/2" SCH10S - 24" SCH40S 300#: 1/2" SCH40S - 16" SCH80S 600#: 1/2" SCH80S - 10" SCH80S	150#: 1/2" SCH10S - 24" SCH40S 300#: 1/2" SCH40S - 16" SCH80S 600#: 1/2" SCH80S - 10" SCH80S
Flanges for automatic welding according to EN	-	-
Flanges for automatic welding according to DIN	-	-
BSP threaded flanges according to EN	PN 16: DN 50/60.3 - DN 100/114.3 PN 40: DN 10/17.2 - DN 40/48.3	PN 16: DN 50/60.3 - DN 100/114.3 PN 40: DN 10/17.2 - DN 40/48.3
Threaded flanges according to DIN	-	-
NPT threaded flanges according to ASTM	150#: 1/2"/21.3 - 2"/60.5 300#: 1/2"/21.3 - 2"/60.5	150#: 1/2"/21.3 - 3"/88.9 300#: 1/2"/21.3 - 2"/60.5
Slip-on flanges according to EN	PN 06: DN 15/21.3 - DN 600/609.6 PN 10: DN 200/204 - DN 800/812.8 PN 16: DN 50/50.8 - DN 400/406.4 PN 40: DN 10/17.2 - DN 40/48.3	PN 06: DN 15/21.3 - DN 600/609.6 PN 10: DN 200/204 - DN 800/812.8 PN 16: DN 50/50.8 - DN 400/406.4 PN 40: DN 10/17.2 - DN 40/48.3
Slip-on flanges according to DIN	-	-
Slip-on flanges according to DIN with reduced thickness	PN 10: DN 50/60.3 - DN 1000/1016	PN 10: DN 300/323.9 - DN 1000/1016
Slip-on flanges according to EN with reduced thickness	PN 10: DN 15/21.3 - DN 600/610	-
Slip-on flanges according to ASTM	150#: 1/2"/21.3 - 24"/609.6 300#: 1/2"/21.3 - 12"/323.9	150#: 1/2"/21.3 - 24"/609.6 300#: 1/2"/21.3 - 12"/323.9
Lap-joint flanges according to EN	PN 10: DN 200/204 - DN 800/812.8 PN 16: DN 50/50.8 - DN 200/219.1 PN 40: DN 10/17.2 - DN 40/48.3	PN 10: DN 200/204 - DN 800/812.8 PN 16: DN 50/50.8 - DN 200/219.1 PN 40: DN 10/17.2 - DN 200/219.1
Lap-joint flanges according to DIN	-	-
Lap-joint flanges according to DIN with reduced thickness	PN 10: DN 50/60.3 - DN 600/609.6	PN 10: DN 300/323.9 - DN 600/609.6
Lap-joint flanges according to EN with reduced thickness	PN 10: DN 15/21.3 - DN 600/609.6	-
Lap-joint flanges according to ASTM	150#: 1/2"/21.3 - 24"/609.6	150#: 1/2"/21.3 - 24"/609.6
Blind flanges according to EN	PN 06: DN 50 - DN 600 PN 10: DN 200 - DN 800 PN 16: DN 50 - DN 600 PN 40: DN 10 - DN 150	PN 06: DN 50 - DN 600 PN 10: DN 200 - DN 800 PN 16: DN 50 - DN 600 PN 40: DN 10 - DN 150
Blind flanges according to DIN	-	-
Blind flanges according to DIN with reduced thickness	PN 10: DN 200 - DN 600 PN 16: DN 100 - DN 150	PN 10: DN 300 - DN 600
Blind flanges according to EN with reduced thickness	PN 10: DN 15 - DN 500	-
Blind flanges according to ASTM	150#: 1/2"/21.3 - 24"/609.6 300#: 1/2"/21.3 - 16"/406.4 600#: 1/2"/21.3 - 8"/219.2	150#: 1/2"/21.3 - 24"/609.6 300#: 1/2"/21.3 - 16"/406.4 600#: 1/2"/21.3 - 8"/219.2
Socket-weld flanges according to ASTM	-	150#: 1/2"/21.3 - 4"/114.3
Pressed flanges	PN 10: DN 15 - DN 300	PN 10: DN 15 - DN 300

## FLANGES

grade	1.4541	1.4571	Aluminium
AISI/UNS	321	316 Ti	
Welding neck flanges according to EN	PN 10: DN 200/219.1 - DN 400/406.4 PN 16: DN 50/60.3 - DN 400/406.4 PN 40: DN 15/21.3 - DN 80/88.9	PN 10: DN 200/204 - DN 600/609.6 PN 16: DN 50/54 - DN 500/508.0 PN 40: DN 10/17.2 - DN 200/219.1	-
Welding neck flanges according to EN with reduced S-size	-	PN10: DN 200/219.1 - DN 250/273.0	-
Welding neck flanges according to DIN	PN16: DN 10/17.2 - DN 40/48.3	PN16: DN 10/17.2 - DN 150/159.0	-
Welding neck flanges according to ASTM	-	-	-
Flanges for automatic welding according to EN	-	PN16: DN 15/21.3 - DN 200/219.1 PN40: DN 15/21.3 - DN 150/168.3	-
Flanges for automatic welding according to DIN	-	PN16: DN 15/21.3 - DN 50/60.3	-
BSP threaded flanges according to EN	-	PN 16: DN 50/60.3 - DN 80/88.9 PN 40: DN 10/17.2 - DN 40/48.3	-
Threaded flanges according to DIN	-	PN 10: DN 15/21.3 - DN 100/114.3 PN 16: DN 15/21.3 - DN 100/114.3	-
NPT threaded flanges according to ASTM	-	-	-
Slip-on flanges according to EN	PN 10: DN 250/273 - DN 500/508 PN 16: DN 80/88.9 - DN 125/139.7	PN 10: DN 200/206 - DN 500/508 PN 16: DN 50/54 - DN 300/323.9 PN 40: DN 15/21.3 - DN 40/48.3	-
Slip-on flanges according to DIN	PN 10: DN 15/21.3 - DN 200/219.1	PN 10: DN 15/21.3 - DN 200/219.1	-
Slip-on flanges according to DIN with reduced thickness	-	PN 10: DN 50/60.3 - DN 500/508 PN 16: DN 65/76.1 - DN 600/609.6	-
Slip-on flanges according to EN with reduced thickness	PN 10: DN 15/21.3 - DN 300/323.9	PN 10: DN 15/21.3 - DN 600/608	-
Slip-on flanges according to ASTM	-	-	-
Lap-joint flanges according to EN	PN 10: DN 200/219.1 - DN 500/508 PN 16: DN 50/60.3 - DN 150/168.3 PN 40: DN 15/21.3 - DN 40/48.3	PN 10: DN 200/219.1 - DN 600/609.6 PN 16: DN 50/60.3 - DN 250/273 PN 40: DN 15/21.3 - DN 40/48.3	-
Lap-joint flanges according to DIN	PN 10: DN 10/17.2 - DN 250/273	PN 10: DN 10/17.2 - DN 250/273	PN 10: DN 15/21.3 - DN 300/323.9
Lap-joint flanges according to DIN with reduced thickness	-	PN 10: DN 50/60.3 - DN 600/609.6	-
Lap-joint flanges according to EN with reduced thickness	PN 10: DN 15/21.3 - DN 300/323.9	PN 10: DN 15/21.3 - DN 300/323.9	-
Lap-joint flanges according to ASTM	-	-	-
Blind flanges according to EN	PN 10: DN 200 - DN 300 PN 16: DN 50 - DN 400 PN 40: DN 15 - DN 50	PN 10: DN 200 - DN 500 PN 16: DN 50 - DN 300 PN 40: DN 10 - DN 200	-
Blind flanges according to DIN	PN 16: DN 15 - DN 40	PN 16: DN 10 - DN 40	PN 10: DN 15 - DN 300
Blind flanges according to DIN with reduced thickness	-	PN 10: DN 200 - DN 600 PN 16: DN 100 - DN 150	-
Blind flanges according to EN with reduced thickness	PN 10: DN 25 - DN 300	PN 10: DN 20 - DN 300	-
Blind flanges according to ASTM	-	-	-
Socket-weld flanges according to ASTM	-	-	-
Pressed flanges	-	-	-

## BUTT WELDED FITTINGS

grade	1.4301/1.4307	1.4401/1.4404	1.4432	1.4462	1.4539	1.4541	1.4571
AISI/UNS	304/304 L	316/316 L	316 L	S 31803	904 L	321	316 Ti
Elbow 90° seamless according to EN	-	-	-	-	-	12.0 x 1.5 - 168.3 x 4.5	12.0 x 1.5 - 168.3 x 4.5
Elbow 90° seamless according to ASTM	21.34 x 2.11 - 323.9 x 12.7	21.34 x 2.11 - 323.9 x 12.7	-	21.34 x 2.11 - 219.10 x 8.18	21.34 x 2.11 - 219.10 x 8.18	-	-
Elbow 90° welded according to EN	12.0 x 1.5 - 812.8 x 4.0	12.0 x 1.5 - 813.0 x 4.0	26.9 x 2.0 - 608.0 x 4.0	-	76.1 x 2.9 - 323.9 x 4.0	172 x 1.6 - 406.4 x 3.0	172 x 1.6 - 609.6 x 4.0
Elbow 90° welded according to ASTM	21.34 x 2.11 - 609.6 x 9.53	21.34 x 2.11 - 610.0 x 9.53	-	-	-	-	-
Elbow 180° seamless according to ASTM	21.34 x 2.11 - 114.3 x 3.05	21.34 x 2.11 - 114.3 x 3.05	-	-	-	-	-
Elbow 45° seamless according to ASTM	21.34 x 2.11 - 219.08 x 8.18	21.34 x 2.11 - 219.1 x 8.18	-	-	-	-	-
Elbow 45° welded according to ASTM	168.28 x 3.4 - 406.4 x 9.53	168.28 x 3.4 - 406.4 x 9.53	-	-	-	-	-
Tee seamless according to EN	-	-	-	21.34 x 2.11 - 219.1 x 8.18	-	21.3 x 2.0 - 60.3 x 2.0	172 x 2.3 - 114.3 x 3.6
Tee welded according to EN	21.3 x 2.0 - 219.1 x 3.0	13.5 x 1.6 - 219.1 x 3.0	21.3 x 2.0 - 156.0 x 3.0	-	-	21.3 x 2.0 - 219.1 x 3.0	21.3 x 2.0 - 323.9 x 3.0
Tee welded according to EN with short branch	21.3 x 2.0 - 609.6 x 2.9	17.2 x 1.6 - 610.0 x 2.9	-	-	-	-	-
Tee seamless according to ASTM	21.34 x 2.11 - 323.85 x 12.7	21.34 x 2.11 - 323.9 x 12.7	-	-	-	-	-
Tee welded according to ASTM	21.34 x 2.11 - 406.4 x 9.53	21.34 x 2.11 - 610.0 x 9.53	-	-	-	-	-
Reducing tee seamless according to EN	-	-	-	-	-	33.7 x 2.6 / 21.3 x 2.0 - 60.3 x 2.9 / 21.3 x 2.0	33.7 x 2.6 / 21.3 x 2.0 - 168.3 x 4.5 / 88.8 x 3.2
Reducing tee seamless according to ASTM	26.67 x 2.11 / 21.34 x 2.11 - 323.9 x 9.53 / 273.0 x 9.27	26.67 x 2.11 / 21.34 x 2.11 - 323.9 x 9.53 / 273.0 x 9.27	-	-	-	-	-
Reducing tee welded according to EN	21.3 x 2.0 / 17.2 x 2.0 - 219.1 x 3.0 / 168.3 x 3.0	-	-	-	-	48.3 x 2.0 / 21.3 x 1.6 - 60.3 x 2.0 / 48.3 x 2.0	26.9 x 2.0 / 21.3 x 2.0 - 168.3 x 2.6 / 114.3 x 2.6
Reducing tee welded according to ASTM	-	355.6 x 4.78 / 273.0 x 4.19 - 406.4 x 9.53 / 355.6 x 9.53	-	-	-	-	-
Reducer concentric seamless according to EN	-	-	-	-	-	26.9 x 1.6 / 21.3 x 1.6 - 114.3 x 2.6 / 76.1 x 2.3	21.3 x 2.0 / 17.2 x 1.8 - 219.1 x 6.3 / 137.9 x 4.0
Reducer excentric seamless according to EN	-	-	-	-	-	-	88.9 x 3.2 / 76.1 x 2.9 - 114.3 x 3.6 / 76.1 x 2.9
Reducer concentric welded according to EN	17.2 x 2.0 / 13.5 x 2.0 - 610.0 x 4.0 / 508.0 x 4.0	21.3 x 2.0 / 13.5 x 2.0 - 610.0 x 3.0 / 508.0 x 3.0	-	-	-	26.9 x 1.6 / 17.2 x 1.6 - 273.0 x 3.0 / 219.1 x 3.0	21.3 x 2.0 / 13.5 x 1.8 - 323.9 x 3.0 / 273.0 x 3.0
Reducer excentric welded according to EN	-	21.3 x 2.0 / 17.2 x 2.0 - 323.9 x 3.0 / 273.0 x 3.0	-	-	-	-	33.7 x 2.0 / 21.3 x 2.0 - 219.1 x 2.9 / 168.3 x 2.9
Reducer concentric seamless according to ASTM	26.67 x 2.87 / 17.14 x 2.31 - 323.9 x 17.48 / 273.0 x 9.27	26.7 x 2.87 / 17.2 x 2.31 - 323.9 x 17.48 / 273.0 x 9.27	-	33.4 x 3.38 / 21.34 x 2.77 - 219.1 x 8.18 / 168.26 x 7.11	33.4 x 3.38 / 21.34 x 2.77 - 219.1 x 8.18 / 168.26 x 7.11	-	-
Reducer excentric seamless according to ASTM	26.67 x 2.11 / 21.33 x 2.11 - 323.9 x 10.31 / 168.3 x 7.11	26.67 x 2.11 / 21.33 x 2.11 - 323.9 x 9.53 / 273.0 x 9.27	-	-	-	-	-
Reducer concentric welded according to ASTM	26.9 x 2.11 / 21.3 x 2.11 - 406.4 x 9.53 / 355.6 x 9.53	26.9 x 2.11 / 21.3 x 2.11 - 610.0 x 9.53 / 508.0 x 9.53	-	-	-	-	-
Reducer excentric welded according to ASTM	219.08 x 3.76 / 114.3 x 3.05 - 323.9 x 9.53 / 273.0 x 9.27	219.1 x 3.76 / 114.3 x 3.05 - 323.9 x 9.53 / 273.0 x 9.27	-	-	-	-	-
Cap according to EN	17.2 x 2.0 - 813.0 x 4.0	17.2 x 2.0 - 610.0 x 4.0	-	-	-	-	-
Cap according to DIN	-	-	-	-	-	-	21.3 x 2.0 - 508.0 x 4.0
Cap according to ASTM	21.34 x 2.11 - 610.0 x 9.53	21.34 x 2.11 - 610.0 x 9.53	-	-	-	-	-
Stub-end according to ASTM	21.3 x 2.11 - 406.4 x 4.78	21.3 x 2.11 - 406.4 x 4.78	-	-	-	-	-
Welding collar similar to DIN	17.2 x 2.0 - 813.0 x 4.0	17.2 x 2.0 - 610.0 x 4.0	-	-	26.9 x 3.0 - 323.9 x 3.0	17.2 x 1.8 - 508.0 x 4.0	17.2 x 2.0 - 610.0 x 4.0



## THREADED FITTINGS

grade	1.4301/1.4307/1.4308	1.4404/1.4408	1.4571	
AISI/UNS	304/304 L	316/316 L	316 Ti	
ISO 7-R (from pipe)	Socket	1/8" - 4"	1/8" - 4"	1/8" - 4"
	Half socket	1/4" - 2"	1/8" - 4"	1/4" - 2"
	Welding nipple	1/4" - 2"	1/8" - 6"	1/8" - 4"
	Barrel nipple	1/4" - 2"	1/8" - 6"	1/4" - 2"
	Parallel nipple	-	1/8" - 2"	-
	Bend 90° m/m	-	1/8" - 2"	-
	Hose nipple hose/m	-	1/8" - 4"	-
	Hose nipple hose/bw	-	3/8" - 4"	-
	Equal tee	1/4" - 2"	1/8" - 4"	-
	Reducing tee f/f/f	-	3/8" x 1/8" - 2" x 1 1/2"	-
EN-ISO 4144	Cross	-	1/4" - 2"	-
	Y-tee	-	1/8" - 4"	-
	Elbow with bar f/f	1/2" x 45° - 1/2" x 90°	-	-
	Elbow 45° f/f	1/4" - 2"	1/8" - 4"	-
	Elbow 90° f/f	1/4" - 2"	1/8" - 4"	-
	Reducing elbow 90° f/f	-	3/8" x 1/4" - 2" x 1 1/2"	-
	Street elbow 45° m/f	1/8" - 4"	1/8" - 4"	-
	Street elbow 90° m/f	1/4" - 2"	1/8" - 2"	-
	Coupling	1/8" - 2"	1/8" - 2"	-
	Reducing coupling f/f	-	1/4" x 1/8" - 4" x 3"	-
	Half coupling	1/8" - 2"	1/8" - 2"	-
	Double nipple	-	-	1/4" - 2"
	Welding nipple	-	-	1/4" - 2"
	Hexagon coupling	-	1/4" - 1/2"	-
	Hexagon nipple	1/4" - 2"	1/8" - 4"	-
	Hexagon reducing nipple m/m	1/4" x 1/8" - 2" x 1 1/2"	1/4" x 1/8" - 4" x 3"	-
	Hexagon hose nipple f	1/8" - 2"	1/4" - 2"	-
	Hose nipple m	-	1/8" - 4"	-
	Hexagon head plug tapered conical	3/8" - 2"	1/8" - 4"	-
	Hexagon cap	1/4" - 2"	1/8" - 4"	-
Hexagon head	-	1/8" - 3"	-	
Hexagon nut	-	1/8" - 4"	-	

## THREADED FITTINGS

grade	1.4301/1.4307/1.4308	1.4404/1.4408
AISI/UNS	304/304 L	316/316 L
Hexagon bushing m/f	1/4" x 1/8" - 2" x 1 1/2"	1/4" x 1/8" - 4" x 3"
Negative hexagon bushing f/m	-	1/4" x 1/8" - 2" x 1 1/2"
Adaptor M NPT/ F BSP	-	1/8" - 2"
Adaptor M BSP/ F NPT	-	1/8" - 2"
Square head plug	-	1/8" - 2"
Round cap	-	1/8" - 4"
Union conical f/f	1/4" - 2"	1/8" - 4"
Union flat seat f/f	-	1/8" - 4"
Union conical f/m	1/4" - 2"	1/8" - 3"
Union flat seat f/m	-	1/8" - 3"
Union conical m/m	-	1/8" - 3"
Union flat seat m/m	-	1/2" - 2 1/2"
Union conical bw/bw	-	1/8" - 4"
Union flat seat bw/bw	-	1/8" - 3"
Union conical bw/f	-	1/8" - 4"
Union flat seat bw/f	-	3/8" - 3"
Union conical bw/m	-	1/8" - 3"
Union flat seat bw/m	-	1/4" - 4"
Union conical hose/m	-	1/4" - 1 1/2"
Elbow union conical f/f	-	1/8" - 2"
Elbow union flat f/f	-	1/8" - 2"
Elbow union conical f/m	-	1/8" - 2"
Elbow union flat f/m	-	1/8" - 2"
Elbow union flat f/bw	-	3/8" - 2"
Quick coupling - a adapter f	-	1/2" - 4"
Quick coupling - b coupler m	-	1/2" - 4"
Quick coupling - c coupler hose shank	-	1/2" - 4"
Quick coupling - d coupler f	-	1/2" - 4"
Quick coupling - e adapter hose shank	-	1/2" - 4"
Quick coupling - f adapter m	-	1/2" - 4"
Quick coupling - dp dustplug	-	1/2" - 4"
Quick coupling - dc dustcap	-	1/2" - 4"

EN-ISO 4144



## STAPPERT FLEISCHMANN GMBH

### Teesdorf (Zentrale)

Gewerbepark B17/1/Objekt 1  
2524 Teesdorf  
ÖSTERREICH  
T +43 2253 90313-0

### Haid

Traunferstrasse 257  
4053 Haid  
ÖSTERREICH  
T +43 7229 78475-0

fleischmann@stappert.biz  
fleischmann.stappert.biz

## STAPPERT INTERNATIONAL

### STAPPERT Česká republika spol. s r.o.

Otmarov 57  
66457 Měnin  
TSCHECHISCHE REPUBLIK  
T +420 544 423 911  
ceskarepublika@stappert.biz  
ceskarepublika.stappert.biz

### STAPPERT France S.A.S.

Rue Charlemagne 13  
02200 Soissons  
FRANKREICH  
T +33 3 23 73 50 00  
france@stappert.biz  
france.stappert.biz

### STAPPERT Noxon BV

Gerstdijk 4  
5704 RG Helmond  
NIEDERLANDE  
T +31 492 582111  
noxon@stappert.biz  
noxon.stappert.biz

### STAPPERT Sverige AB

Box 82  
34321 Älmhult  
SCHWEDEN  
T +46 476 48550  
sverige@stappert.biz  
sverige.stappert.biz

### STAPPERT Deutschland GmbH

Willstätterstraße 13  
40549 Düsseldorf  
DEUTSCHLAND  
T +49 211 5279-0  
deutschland@stappert.biz  
deutschland.stappert.biz

### STAPPERT Intramet SA

Rue du Parc Industriel, 5  
4480 Engis  
BELGIEN  
T +32 4 275 82 11  
intramet@stappert.biz  
intramet.stappert.biz

### STAPPERT Polska Sp. z o.o.

ul. A. Gaudiego 18  
44-109 Gliwice  
POLEN  
T +48 32 3447300  
polska@stappert.biz  
polska.stappert.biz

### STAPPERT UK Ltd.

Unit 7 Symondscliffe Way  
Severn Bridge Industrial Estate  
Portskewett | Caldicot NP26 5PW  
GROSSBRITANIEN  
T +44 121 740 0175  
uk@stappert.biz  
uk.stappert.biz

### STAPPERT Fleischmann GmbH

Gewerbepark B17/1/Objekt 1  
2524 Teesdorf  
ÖSTERREICH  
T +43 2253 90313-0  
fleischmann@stappert.biz  
fleischmann.stappert.biz

### STAPPERT Magyarország Kft.

Rétifarkas utca 1.  
1172 Budapest  
UNGARN  
T +36 1 4342424  
magyarorszag@stappert.biz  
magyarorszag.stappert.biz

### STAPPERT Slovensko a.s.

Šimonovská 37  
97271 Nováky  
SLOWAKEI  
T +421 46 51834-20  
slovensko@stappert.biz  
slovensko.stappert.biz

group.stappert.biz



STAPPERT